

Supporting Notes for the ENUM Request Form

RIPE NCC

Document ID: ripe-505
Date: December 2010
Obsoletes: ripe-327, ripe-385

This document explains how to complete the [ENUM Request Form](#).

The form and these supporting notes are based on the ["IAB Instructions to the RIPE NCC Regarding Operation of the Domain e164.arpa \("ENUM"\)"](#).

Your request and all related communication will be publicly available at:
<http://www.ripe.net/enum>

Send your completed form to: enum-request@ripe.net

Preparation
General Information
Requester Details
Organisation Details
Database Template
Supplemental Comments

Preparation

Before completing the request form, create the following objects in the RIPE Database.

1. Person/Role Object(s) and Mntner Object

Person and **role** objects contain information about people. Each object has a unique NIC handle ("nic-hdl:").

Mntner objects protect objects in the RIPE Database. They contain the information needed to authorise creation, deletion or modification of the objects that they protect.

You can create your first **person** and **mntner** objects using [RIPE Database New User Start-up Form](#).

Leave the "Nic-hdl:" field empty.

Choose a name for your **mntner** object and enter it in the "Maintainer name:" field.

Person Object

Person: John Smith *

Nic-hdl:

Address: High Street 12
St. Mery Mead
Essex, UK *

Phone: +44 1737 892 004 *

Email: johnsmith@example.com *

The nic-hdl has a fixed format. If you are not sure what to enter, leave it blank and it will be generated for you. For further details about nic-hdls see [RIPE Database User Manual-Getting Started](#).

Maintainer Object

Maintainer name: EXAMPLE-MNT

Password: *

Password (again): *

If you leave the maintainer name field blank it will be generated for you.

Accept Terms and Conditions

I accept the [RIPE Database Terms and Conditions](#).

Create!

When you receive the message "Succeeded!", make a note of your "person nic-hdl" and "maintainer name". You will need them later.

You can create additional **person** and **role** objects and also change the objects you already created using [webupdates](#).

2. Organisation Object

Organisation objects contain information about organisations. Each object has a unique organisation ID ("organisation:"). You can create **organisation** objects using [webupdates](#).

Enter "AUTO-1" in the "organisation:" field.

Enter "OTHER" in the "org-type:" field.

Enter the name of your **mntner** object in the "mnt-ref:" and "mnt-by:" fields.

Add a "password" field and enter the password for your **mntner** object in clear-text.

The screenshot shows the RIPE webupdate interface for creating an Organisation object. The form contains the following fields:

- organisation: AUTO-1
- org-name: Arctic Telecom
- org-type: NON-REGISTRY
- address:
Frostlane 1-3
0135 NN Ice-Valley
Northern Nowhere
- e-mail: johnsmith@example.com
- mnt-ref: EXAMPLE-MNT
- mnt-by: EXAMPLE-MNT
- changed: johnsmith@example.com
- source: RIPE
- password: [REDACTED]

Below the form is a section for adding new fields:

Add New Field: password after the source Field.

Force New

When you receive the message "Create SUCCEEDED: [organisation] ORG-XYZ-RIPE", make a note of the new organisation ID (`ORG-XYZ-RIPE`). You will need it later.

You should now have:

- at least one **person/role** object
- one **mntner** object
- one **organisation** object

You can use these in the [ENUM Request Form](#).

General Information

```
# [GENERAL INFORMATION]#
%
% Please do not change the value of the two fields below.
```

```
request-type: enum
form-version: 1.0
```

Do not change the value of the "request-type:" and "form-version:" fields.

Requester Details

```
# [REQUESTER DETAILS]#
%
% Please add your contact details.
```

```
name: John Smith
phone: +123 45 678910
fax-no: +123 45 678911
email: john@bluelight.ripe.net
```

Enter your contact details.

Use the international dialling code (for example, +31 for the Netherlands,) in the "phone:" and "fax-no:" fields.

Organisation Details

```
# [ORGANISATION DETAILS]#
%
% Which organisation is requesting the delegation?
```

```
legal-organisation-name: Arctic Telecom
organisation-location: Frostlane 1-3, 0135 NN Ice-Valley, Northern Nowhere
website: http://www.arctictelecom.net
```

Enter the legal name and primary location of the organisation that is requesting the delegation in the "legal-organisation-name:" and "organisation-location:" fields. If this organisation has a website, enter its URL in the "website:" field.

Database Template

```
# [DATABASE TEMPLATE]#
%
% Please complete all of the fields below.
```

```
domain: 9.9.9.8.e164.arpa
descr: Arctic Telecom
org: ORG-BEII-RIPE
admin-c: JS6381-RIPE
tech-c: JS6381-RIPE
zone-c: JS6381-RIPE
nserver: iceberg1.arctic-telecom.net
nserver: titanic.penguin.ripe.net
mnt-by: EXAMPLE-MNT
changed: hostmaster@ripe.net
source: RIPE
```

Enter a fully qualified domain name for the requested delegation in the "domain:" field (without a trailing dot). The domain name consists of the the country's E.164 code, written in reverse, with each digit separated by a dot. For example, the country code

"+123" is written as "3.2.1.e164.arpa".

Enter the name of your organisation in the "`descr:`" field.

Enter the organisation ID of your **organisation** object in the "`org:`" field.

The NIC handle of the **role** or **person** object in the "`admin-c:`" field should reflect someone who is administratively responsible for the delegation.

The NIC handle of the **role** or **person** object in the "`tech-c:`" and "`zone-c:`" fields should reflect someone who has technical knowledge of DNS setup of the delegation.

Enter the hostnames of two name servers in the two "`nserver:`" fields. You can add more "`nserver:`" fields if needed. You can also add an IP address after a hostname to specify a glue record. Prior to delegation, all name servers should be configured as authoritative for the requested zone in accordance with [RFC1912](#).

Enter the name of your **mntner** object in the "`mnt-by:`" field.

The "`changed:`" field must be `hostmaster@ripe.net`.

The "`source:`" field must be RIPE.

Supplemental Comments

```
# [SUPPLEMENTAL COMMENTS]#
%
% Please add more information if you think it will help us understand
% this request.
```

The Ministry of Telecommunications of Northern Nowhere selected ArcticTelecom to run the Northern Nowhere ENUM trial. This delegation will allow Arctic Telecom to conduct field trials of ENUM-enabled technologies in Northern Nowhere.

You can use this space for additional information that you think will be helpful.

```
# [END of REQUEST]#
```